CONTENTS

Modelling of the pathway of S_N2 intramolecular substitution at the silicon(IV) atom
V.F. Sidorkin, V.V. Vladimirov, M.G. Voronkov and V.A. Pestunovich (Irkutsk, U.S.S.R.) 1
Etude théorique des spectres photoélectronique et ultraviolet de l'anion CN^-
N. Komiha and M. Lhamyani-Chraibi (Rabat, Morocco) 11
MNDO calculations of carbene and its analogue complexes with chromium pentacarbonyl
I.A. Abronin, N.A. Avdyuhina, L.V. Morozova and G.K.-I. Magomedov (Moscow, U.S.S.R.) 19
An ab initio gradient study of the molecular geometry of some strained hydrocarbons containing annelated three-membered rings
A. Peeters, C. Van Alsenoy and H.J. Geise (Wilrijk, Belgium) 27
The enthalpies of formation of substituted methyl radicals: a theoretical contribution
G. Leroy, M. Sana and C. Wilante (Louvain-la-Neuve, Belgium) 37
Theoretical studies of aza analogues of platonic hydrocarbons. Part III. Dodecahedrane and its aza derivatives
I. Alkorta, J. Elguero, I. Rozas (Madrid, Spain) and A.T. Balaban (Bucharest, Romania) 47
Conformational analysis of protonated ethylenediamine in the gas phase and in water
S. Boudon and G. Wipff (Strasbourg, France) 61
Conformational preference of the methylsulphinyl group bonded to the furan and thiophene rings: a theoretical approach
R. Benassi, U. Folli, A. Mucci, L. Schenetti and F. Taddei (Modena, Italy) 71
Ab initio study of some doublet excited states of AlH_2
J.-P. Gu, F. Kong, M.-B. Huang (Anhui, People's Republic of China) and S.-H. Liu (Guangdong, People's Republic of China) 87
Theoretical study of the satellite structure in the valence photoelectron spectra of the second and third row hydrides
A. Lisini, P. Decleva and G. Fronzoni (Trieste, Italy) 97
Activity indices of polycyclic hydrocarbons
M. Mestechkin and L. Siv'akova (Donetsk, U.S.S.R.) 117
Ab initio study of the SiH_5 species
J. Moc, J.M. Rudziński and H. Ratajczak (Wrocław, Poland) 131
Electronic structures of octahedral cluster halides of transition metals $[M_6X_8]^{n+}$, $[M_6X_{12}]^{n+}$ and their interstitial compounds $[M_6X_{12}Z]$
M. Lin and Q. Zhang (Xiamen Fujian, People's Republic of China) 139
Analysis of the effect of substitution on the intramolecular hydrogen bond of malonaldehyde by ab initio calculations at the 3-21G level
M.A. Ríos and J. Rodríguez (Santiago de Compostela, Spain) 149
Conformational equilibria and structure of cyclopropylcarboxaldehyde and 1-methyl and 1-halo derivatives
H.M. Badawi (Safat, Kuwait) 159
Corrections for overlapping spheres in the self-consistent field $X\alpha$ scattered wave method. Part 2. Application to NH_3
D.F.-T. Tuan and G.W. Loar (Kent, OH, U.S.A.) 167
The influence of water on substituent resonance effects
J. Cai and R.D. Topsom (Bundoora, Vic., Australia) 181
Ab initio study of the stationary points on the potential energy surface for the acetylene hydrogen-bonded tetramer
W.B. De Almeida, A. Hinchliffe (Manchester, U.K.) and J.S. Craw (Rio de Janeiro, Brazil) 191
Molecular orbital study on the hydrolysis of adenosine triphosphate: the role of a cation as catalyst
M. Tajima and M. Honda (Saitama, Japan) 201

Quantum statistical nature of the chemical bond. Part I. Theoretical framework of population analysis and application to SCF closed shell wavefunctions
R.C. Bochicchio (Buenos Aires, Argentina) 209
Quantum statistical nature of the chemical bond. Part II. MC-SCF/CI model
R.C. Bochicchio (Buenos Aires, Argentina) 227
Cis–trans isomerization of protonated formaldehyde and its fluoro and chloro substituents
P.S. Stern, A.T. Hagler, F. Sussman and Z. Karpas (Rehovot, Israel) 237
MNDO study of coupled strained hydrocarbons: additivity of exocyclic C–C bond contraction induced by different ring systems
A. Rathna and J. Chandrasekhar (Bangalore, India) 249
Ab initio study of double proton transfer in the 2-aminoethenol 2-iminoethanal complex
A. Tachibana, N. Ishizuka and T. Yamabe (Kyoto, Japan) 259
Improved band structures of some homopolypeptides with aliphatic side chains and of the four nucleotide base stacks: estimation of their fundamental gap
J. Ladik, A. Sutjianto and P. Otto (Erlangen, F.R.G.) 271
Topological charge stabilization and interstellar molecules
J.-I. Aihara (Shizuoka, Japan) 277
Self-interaction corrected multiple-scattering X_α method: application to molecules
Y. Guo and M.A. Whitehead (Montreal, Que., Canada) 285
Dureté des amino-acides
J.M. Pires, M.S. De Giambiagi and M. Giambiagi (Rio de Janeiro, Brazil) 305
Conformational changes by ring puckering and inversion in 1,3,2-dioxaphospholene
M. Alcolea Palafox, V.I. Perevozchikov, and J.E. Boggs (Austin, TX, U.S.A.) and L.S. Khaikin (Moscow, U.S.S.R.) 315
A new approach to the geometry optimization of molecular structures: the sliding-range method
C. Ünaleroğlu, T. Firat and N. Balcioğlu (Ankara, Turkey) 323
Ab initio geometries and frequencies for aminosulphuric acid, $H_2NSO_2(OH)$, and the sulphamate anion, $H_2NSO_3^-$
R.G. Woolley (Nottingham, UK) 329
On quality tests for Hartree–Fock–Roothaan SCF wavefunctions
L.G. Vanquickenborne, B. Coussens and K. Ooms (Heverlee-Leuven, Belgium) 335
Some comments on the δ quality test
T.L. Sordo and J.A. Sordo (Oviedo, Spain) 343

Short Communication
Effect of polar medium on the HFS constants of the $H_2NO^\bullet$ radical: ab initio continuum model study
O. Kysel and P. Mach (Bratislava, Czechoslovakia) 349

Author index 353

Subject index 355